 <b>1 Living in Delaware With HIV</b> Delaware data through 05/31/2020						
Exposure Category	Living w/ HIV (Non-Stage 3)		Living in DE and ever diagnosed Stage 3 HIV (AIDS)		Living in DE W/HIV all Stages	
	Number	Percent	Number	Percent	Number	Percent
<b>Gender</b>						
Male	1047	71.9%	1490	70.4%	2537	71.0%
Female	410	28.1%	627	29.6%	1037	29.0%
<b>Total</b>	<b>1457</b>	<b>100%</b>	<b>2117</b>	<b>100%</b>	<b>3574</b>	<b>100%</b>
<b>Residence</b>						
Kent County	210	14.4%	305	14.4%	515	14.4%
New Castle County	916	62.9%	1355	64.0%	2271	63.5%
Wilmington Metro Area	490	33.6%	790	37.3%	1280	35.8%
Outside Wilmington Metro Area	426	29.2%	565	26.7%	991	27.7%
Sussex County	328	22.5%	457	21.6%	785	22.0%
Unknown	3	0.2%	0	0.0%	3	0.1%
<b>Total</b>	<b>1457</b>	<b>100%</b>	<b>2117</b>	<b>100%</b>	<b>3574</b>	<b>100%</b>
<b>Age at Diagnoses</b>						
<13	10	0.7%	21	1.0%	HIV and AIDS diagnoses ages represent two different disease states and cannot be combined	
13-19	78	5.4%	27	1.3%		
20-29	457	31.4%	336	15.9%		
30-39	435	29.9%	716	33.8%		
40-49	295	20.2%	656	31.0%		
50+	182	12.5%	361	17.1%		
<b>Total</b>	<b>1457</b>	<b>100%</b>	<b>2117</b>	<b>100%</b>		
<b>Race/Ethnicity</b>						
Hispanic - All races	117	8.0%	166	7.9%	283	7.9%
White	478	32.8%	637	30.2%	1115	31.3%
Black	820	56.3%	1259	59.6%	2079	58.3%
Other <sup>2</sup>	42	2.9%	49	2.3%	91	2.6%
<b>Total</b>	<b>1457</b>	<b>100%</b>	<b>2111</b>	<b>100%</b>	<b>3568</b>	<b>100%</b>
<b>Mode of Exposure in Adult Cases</b>						
MSM	658	45.2%	767	36.2%	1425	39.9%
IDU	153	10.5%	408	19.3%	561	15.7%
MSM/IDU	51	3.5%	97	4.6%	148	4.1%
Heterosexual contact w/IDU	39	2.7%	150	7.1%	189	5.3%
Heterosexual contact	443	30.4%	573	27.1%	1016	28.4%
Transfusion/transplant recipient	1	0.1%	3	0.1%	4	0.1%
Risk not reported/other	102	7.0%	82	3.9%	184	5.1%
Pediatric Exposure	10	0.7%	37	1.7%	47	1.3%
<b>Total</b>	<b>1457</b>	<b>100%</b>	<b>2117</b>	<b>100%</b>	<b>3574</b>	<b>100%</b>
<b>Mode of Exposure in Pediatric<sup>3</sup> Cases</b>						
Mother with/at risk for infection	9	90.0%	30	81.1%	39	83.0%
Receipt of blood transfusion or tissue	0	0.0%	0	0.0%	0	0.0%
Hemophilia/Coagulation Disorder	0	0.0%	1	2.7%	1	2.1%
Other/risk not reported	1	10.0%	6	16.2%	7	14.9%
<b>Total</b>	<b>10</b>	<b>100%</b>	<b>37</b>	<b>100%</b>	<b>47</b>	<b>100%</b>

<sup>1</sup>"Living" data includes anyone currently living in DE with HIV or Stage 3 HIV (AIDS)  
<sup>2</sup>Other includes Asian, Pacific Islander, American Indian, Alaskan Native or Multi-racial.  
<sup>3</sup>Pediatric cases are individuals <13 years of age.  
 Approximately 24% of HIV/AIDS diagnosed persons living in Delaware were initially diagnosed in another state and moved to Delaware after diagnoses.  
 Note: Stage 3 HIV (AIDS) cases have been reported in Delaware since 1983, HIV cases since July 2001, however, a clients original HIV disease DX date is based on the first known date of HIV infection regardless of which diagnoses stage that was.

Eight Year History of New Infections (DE Cases)							
2013	2014	2015	2016	2017	2018	2019	2020*
112	117	106	115	124	92	92	45
*So Far This Year							
New Infection = Year in which HIV infection was first diagnosed							
Previous Year at This Time							47
Current Prevalence Rate (per 100,000)							361.1
Top HIV Exposure Risk Groups for 2020 Thus Far							
Exposure Risk		#	%				
MSM		21	47%				
Hetero		12	27%				
IDU		4	9%				
Other/Unknown		8	18%				



**Total HIV Diagnosed Since 1981**

<b>Gender</b>		
Male	4506	72.0%
Female	1754	28.0%
Total	6260	100%
<b>Residence</b>		
Kent County	740	11.8%
New Castle County	4581	73.2%
<i>Wilmington Metro Area</i>	2916	46.6%
<i>Outside Wilmington Metro Area</i>	1665	26.6%
Sussex County	939	15.0%
Unknown	0	0.0%
Total	6260	100%
<b>Age at Diagnoses</b>		
<13	54	0.9%
13-19	175	2.8%
20-29	1495	23.9%
30-39	2215	35.4%
40-49	1518	24.2%
50+	803	12.8%
Total	6260	100%
<b>Race/Ethnicity</b>		
Hispanic - All races	394	6.3%
White	1718	27.4%
Black	4067	65.0%
Other	81	1.3%
Total	6260	100%
<b>Mode of Exposure in Adult Cases</b>		
MSM	2076	33.2%
IDU	1840	29.4%
MSM/IDU	312	5.0%
Heterosexual contact w/IDU	418	6.7%
Heterosexual contact	1345	21.5%
Transfusion/transplant recipient	21	0.3%
Risk not reported/other	194	3.1%
Pediatric Exposure	54	0.9%
Total	6260	100%
<b>Mode of Exposure in Pediatric Cases</b>		
Mother with/at risk for infection	49	90.7%
Receipt of blood transfusion or tissue	1	1.9%
Hemophilia/Coagulation Disorder	1	1.9%
Other/risk not reported	3	5.6%
Total	54	100%

Note: This data includes only those people who were residents of Delaware at time of HIV diagnosis.








<b><i>DO NOT ADJUST - For Author use only!!</i></b>		
	NCC	
HIV	2634	
AIDS	1947	4581
	Sussex	
HIV	571	
AIDS	368	939
	Kent	
HIV	485	
AIDS	255	740
	Wilmington	
HIV	1593	
AIDS	1323	2916
















**Total Stage 3 HIV (AIDS) Diagnosed Since 1981**








<b>Gender</b>		
Male	3375	72.2%
Female	1299	27.8%
<b>Total</b>	<b>4674</b>	<b>100%</b>
<b>Residence</b>		
Kent County	518	11.1%
New Castle County	3476	74.4%
<i>Wilmington Metro Area</i>	2266	48.5%
<i>Outside Wilmington Metro Area</i>	1210	25.9%
Sussex County	680	14.5%
Unknown	0	0.0%
<b>Total</b>	<b>4674</b>	<b>100%</b>
<b>Age at Diagnoses</b>		
< 13	31	0.7%
13-19	35	0.7%
20-29	637	13.6%
30-39	1722	36.8%
40-49	1469	31.4%
50+	780	16.7%
<b>Total</b>	<b>4674</b>	<b>100%</b>
<b>Race/Ethnicity</b>		
Hispanic - All races	269	5.8%
White	1249	26.7%
Black	3107	66.5%
Other	49	1.0%
<b>Total</b>	<b>4674</b>	<b>100%</b>
<b>Mode of Exposure in Adult Cases</b>		
MSM	1456	31.8%
IDU	1580	34.5%
MSM/IDU	248	5.4%
Heterosexual contact w/IDU	370	8.1%
Heterosexual contact	842	18.4%
Transfusion/transplant recipient	18	0.4%
Risk not reported/other	11	0.2%
Pediatric Exposure	49	1.1%
<b>Total</b>	<b>4574</b>	<b>100%</b>
<b>Mode of Exposure in Pediatric Cases</b>		
Mother with/at risk for infection	44	89.8%
Receipt of blood transfusion or tissue	1	2.0%
Hemophilia/Coagulation Disorder	1	2.0%
Other/risk not reported	3	6.1%
<b>Total</b>	<b>49</b>	<b>100%</b>

Note: This data includes only those people who were residents of Delaware at time of Stage 3 HIV (AIDS) diagnosis.














**Total Diagnosed Delaware Stage 3 HIV (AIDS) Cases Since 1981**




**Total Diagnosed Delaware Stage 3 HIV (AIDS) Cases Since 1981**




**Total Diagnosed Delaware Stage 3 HIV (AIDS) Cases Since 1981**




**Total Diagnosed Delaware Stage 3 HIV (AIDS) Cases Since 1981**




**Total Diagnosed Delaware Stage 3 HIV (AIDS) Cases Since 1981**



**Total Diagnosed Delaware Stage 3 HIV (AIDS) Cases Since 1981**




**Total Diagnosed Delaware Stage 3 HIV (AIDS) Cases Since 1981**



\*So far in current year

### New HIV Infections Per Year (An Eight Year History)



Summary Sheet for Communicable Disease Quarterly Report

	#	
Total Persons Living in Delaware with HIV	3574	
Total Persons Diagnosed with HIV in Delaware (Since 1981)	6260	
Total Persons Diagnosed with Stage 3 HIV (AIDS) in Delaware (Since 1981)	4674	
Total New Positives for Delaware in the Current Year	45	
Total New Positives at This Time Last Year	22	
Current Prevalence Rate	361.082	
Top Exposure Risk for Current Year		
	#	%
MSM	21	47%
Heterosexual	12	27%
IDU	4	9%
Other (includes risk not reported or identified)	8	18%