


| <div>  <div> <div>1</div> <div>Living in Delaware With HIV</div> </div> </div> | | |
|--|------------------------------------|---------|
| As of 12/31/2025 | | |
| Exposure Category | Living in DE With HIV (All Stages) | |
| | Number | Percent |
| Birth Sex | | |
| Male | 3064 | 73.0% |
| Female | 1136 | 27.0% |
| Total | 4200 | 100.0% |
| Residence | | |
| Kent County | 617 | 14.7% |
| New Castle County | 2545 | 60.6% |
| Wilmington Metro Area | 1389 | 33.1% |
| Outside Wilmington Metro Area | 1156 | 27.5% |
| Sussex County | 1010 | 24.0% |
| Unknown/Other | 28 | 0.7% |
| Total | 4200 | 100.0% |
| Age at Diagnoses | | |
| <13 | 50 | 1.2% |
| 13-19 | 180 | 4.3% |
| 20-29 | 1217 | 29.0% |
| 30-39 | 1350 | 32.1% |
| 40-49 | 897 | 21.4% |
| 50+ | 506 | 12.0% |
| Total | 4200 | 100.0% |
| Race/Ethnicity | | |
| Hispanic - All races | 427 | 10.2% |
| White | 1293 | 30.8% |
| Black | 2290 | 54.5% |
| Other ² | 190 | 4.5% |
| Total | 4200 | 100.0% |
| Mode of Exposure in Adult Cases | | |
| MSM | 1916 | 45.6% |
| IDU | 480 | 11.4% |
| MSM/IDU | 168 | 4.0% |
| Heterosexual contact w/IDU | 165 | 3.9% |
| Heterosexual contact | 1231 | 29.3% |
| Transfusion/transplant recipient | 4 | 0.1% |
| Risk not reported/other | 186 | 4.4% |
| Pediatric Exposure | 50 | 1.2% |
| Total | 4200 | 100.0% |
| Mode of Exposure in Pediatric³ Cases | | |
| Mother with/at risk for infection | 43 | 86.0% |
| Receipt of blood transfusion or tissue | 0 | 0.0% |
| Hemophilia/Coagulation Disorder | 1 | 2.0% |
| Other/risk not reported | 6 | 12.0% |
| Total | 50 | 100.0% |
| ¹ "Living" data includes anyone living in Delaware with HIV regardless of current stage | | |
| ² Other includes Asian, Pacific Islander, American Indian, Alaskan Native or Multi-racial. | | |
| ³ Pediatric cases are individuals <13 years of age. | | |
| Approximately 24% of HIV diagnosed persons living in Delaware were initially diagnosed in another state and moved to Delaware after diagnoses. | | |
| Note: A clients original HIV disease diagnosis date is based on the first known date of HIV infection regardless of which HIV stage that person was in at that time. | | |

| Eight Year History of New Infections (DE Cases) | | | | | | | |
|---|------|------|------|------|------|------|------|
| 2018 | 2019 | 2020 | 2021 | 2022 | 2023 | 2024 | 2025 |
| 93 | 93 | 91 | 85 | 127 | 102 | 118 | 119 |
| *So Far This Year | | | | | | | |
| New Infection = Year in which HIV infection was first diagnosed | | | | | | | |
| Previous Year at This Time | | | | | | 118 | |

| | |
|---------------------------------------|--------|
| Current Prevalence Rate (per 100,000) | 407.02 |
|---------------------------------------|--------|

| Top HIV Exposure Risk Groups for 2025 Thus Far ** | | |
|---|----|-----|
| | # | % |
| MSM | 48 | 40% |
| Hetero | 60 | 50% |
| IDU | 5 | 4% |
| MSM + IDU | 1 | 1% |
| Other/Unknown | 5 | 4% |

| New Infections by County | | |
|--------------------------|----|-----|
| | # | % |
| Kent | 23 | 19% |
| New Castle | 72 | 61% |
| Sussex | 24 | 20% |

| New Infections by Age Group | | |
|-----------------------------|----|-----|
| | # | % |
| 0-12 | 0 | 0% |
| 13-19 | 2 | 2% |
| 20-29 | 38 | 32% |
| 30-39 | 39 | 33% |
| 40-49 | 21 | 18% |
| 50+ | 19 | 16% |

| New Infections by Race/Ethnicity | | |
|----------------------------------|----|-----|
| | # | % |
| Hispanic - All Races | 24 | 20% |
| Black | 79 | 66% |
| White | 16 | 13% |
| Other | 0 | 0% |

| New Infections by Sex at Birth | | |
|--------------------------------|----|-----|
| | # | % |
| Male | 84 | 71% |
| Female | 35 | 29% |



Total HIV Diagnosed Since 1981

Birth Sex

| | | |
|--------|------|-------|
| Male | 4944 | 72.4% |
| Female | 1887 | 27.6% |
| Total | 6831 | 100% |

Residence

| | | |
|-------------------------------|------|-------|
| Kent County | 840 | 12.3% |
| New Castle County | 4930 | 72.2% |
| Wilmington Metro Area | 3067 | 44.9% |
| Outside Wilmington Metro Area | 1863 | 27.3% |
| Sussex County | 1054 | 15.4% |
| Unknown | 7 | 0.1% |
| Total | 6831 | 100% |

Age at Diagnoses

| | | |
|-------|------|-------|
| <13 | 56 | 0.8% |
| 13-19 | 198 | 2.9% |
| 20-29 | 1682 | 24.6% |
| 30-39 | 2379 | 34.8% |
| 40-49 | 1610 | 23.6% |
| 50+ | 906 | 13.3% |
| Total | 6831 | 100% |

Race/Ethnicity

| | | |
|----------------------|------|-------|
| Hispanic - All races | 500 | 7.3% |
| White | 1815 | 26.6% |
| Black | 4371 | 64.0% |
| Other | 145 | 2.1% |
| Total | 6831 | 100% |

Mode of Exposure in Adult Cases

| | | |
|----------------------------------|------|-------|
| MSM | 2354 | 34.5% |
| IDU | 1864 | 27.3% |
| MSM/IDU | 344 | 5.0% |
| Heterosexual contact w/IDU | 422 | 6.2% |
| Heterosexual contact | 1566 | 22.9% |
| Transfusion/transplant recipient | 21 | 0.3% |
| Risk not reported/other | 204 | 3.0% |
| Pediatric Exposure | 56 | 0.8% |
| Total | 6831 | 100% |

Mode of Exposure in Pediatric Cases

| | | |
|--|----|-------|
| Mother with/at risk for infection | 49 | 87.5% |
| Receipt of blood transfusion or tissue | 1 | 1.8% |
| Hemophilia/Coagulation Disorder | 1 | 1.8% |
| Other/risk not reported | 5 | 8.9% |
| Total | 56 | 100% |

Note: This data includes only those people who were residents of Delaware at the time of HIV diagnosis.



Total Stage 3 HIV (AIDS) Diagnosed Since 1981

Birth Sex

| | | |
|--------|------|-------|
| Male | 3628 | 72.2% |
| Female | 1396 | 27.8% |
| Total | 5024 | 100% |

Residence

| | | |
|-------------------------------|------|-------|
| Kent County | 579 | 11.5% |
| New Castle County | 3689 | 73.4% |
| Wilmington Metro Area | 2375 | 47.3% |
| Outside Wilmington Metro Area | 1314 | 26.2% |
| Sussex County | 754 | 15.0% |
| Unknown | 2 | 0.0% |
| Total | 5024 | 100% |

Age at Diagnoses

| | | |
|-------|------|-------|
| <13 | 33 | 0.7% |
| 13-19 | 38 | 0.8% |
| 20-29 | 697 | 13.9% |
| 30-39 | 1822 | 36.3% |
| 40-49 | 1541 | 30.7% |
| 50+ | 893 | 17.8% |
| Total | 5024 | 100% |

Race/Ethnicity

| | | |
|----------------------|------|-------|
| Hispanic - All races | 323 | 6.4% |
| White | 1307 | 26.0% |
| Black | 3300 | 65.7% |
| Other | 94 | 1.9% |
| Total | 5024 | 100% |








Mode of Exposure in Adult Cases

| | | |
|----------------------------------|------|-------|
| MSM | 1590 | 31.6% |
| IDU | 1610 | 32.0% |
| MSM/IDU | 272 | 5.4% |
| Heterosexual contact w/IDU | 376 | 7.5% |
| Heterosexual contact | 976 | 19.4% |
| Transfusion/transplant recipient | 18 | 0.4% |
| Risk not reported/other | 128 | 2.5% |
| Pediatric Exposure | 54 | 1.1% |
| Total | 5024 | 100% |


Mode of Exposure in Pediatric Cases

| | | |
|--|----|-------|
| Mother with/at risk for infection | 48 | 88.9% |
| Receipt of blood transfusion or tissue | 1 | 1.9% |
| Hemophilia/Coagulation Disorder | 1 | 1.9% |
| Other/risk not reported | 4 | 7.4% |
| Total | 54 | 100% |


Note: This data includes only those persons who were residents of Delaware at time of Stage 3 HIV (AIDS) diagnosis and fit into the category of **ever** receiving a Stage 3 HIV (AIDS) diagnoses




Total Diagnosed Delaware HIV Cases Since 1981




Total Diagnosed Delaware HIV Cases Since 1981




Total Diagnosed Delaware HIV Cases Since 1981




Total Diagnosed Delaware HIV Cases Since 1981




Total Diagnosed Delaware HIV Cases Since 1981




Total Diagnosed Delaware HIV Cases Since 1981




Total Diagnosed Delaware HIV Cases Since 1981




Total Diagnosed Delaware Stage 3 HIV (AIDS) Cases Since 1981




Total Diagnosed Delaware Stage 3 HIV (AIDS) Cases Since 1981




Total Diagnosed Delaware Stage 3 HIV (AIDS) Cases Since 1981




Total Diagnosed Delaware Stage 3 HIV (AIDS) Cases Since 1981




Total Diagnosed Delaware Stage 3 HIV (AIDS) Cases Since 1981




Total Diagnosed Delaware Stage 3 HIV (AIDS) Cases Since 1981



Total Diagnosed Delaware Stage 3 HIV (AIDS) Cases Since 1981



New HIV Infections Per Year (An Eight Year History)



*So far in current year

| Summary Sheet for Communicable Disease Quarterly Report | | |
|--|---------|-----|
| | # | |
| Total Persons Living in Delaware with HIV | 4200 | |
| Total Persons Diagnosed with HIV in Delaware (Since 1981) | 6831 | |
| Total Persons Diagnosed with Stage 3 HIV (AIDS) in Delaware (Since 1981) | 5024 | |
| Total New Positives for Delaware in the Current Year | 119 | |
| Total New Positives at This Time Last Year | 118 | |
| Current Prevalence Rate | 407.020 | |
| Top Exposure Risk for Current Year | | |
| | # | % |
| MSM | 48 | 40% |
| Heterosexual | 60 | 50% |
| IDU | 5 | 4% |
| Other (includes risk not reported or identified) | 5 | 4% |